	Application No.	Applicant(s)
Notice of Allowability	00/570 000	
	09/576,266 Examiner	HELLSTRAND, MAGNUS Art Unit
	Chriss S. Yoder, III	2622
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to After final amendment filed 04/21/2006.		
2. The allowed claim(s) is/are 10-13, 27-29, and 43-46 (now renumbered 1-11).		
<ul> <li>3.</li></ul>		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
•		
Attachment(s)  1. Notice of References Cited (PTO-892)	5. Notice of Informal P	Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 8), 7. Examiner's Amendr	
Paper No./Mail Date4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	
5. <u>L. 5.115</u> .		
	•	•

Application/Control Number: 09/576,266 Page 2

Art Unit: 2622

## **DETAILED ACTION**

## Allowable Subject Matter

Claims 10-13, 27-29, and 43-46 are allowed.

The following is an examiner's statement of reasons for allowance:

- 1. As for claims 10, the prior art does not teach or fairly suggest an infrared image focusing device that processes an image to find at least one window to which focusing is to be done dependent upon characteristics within the window, as well as estimating the distance from the device to an object using the temperature and/or position of the optics.
- 2. As for claims 27, the prior art does not teach or fairly suggest an infrared image focusing method that processes an image to find at least one window to which focusing is to be done dependent upon characteristics within the window using the function:

$$FMF(z) = \frac{1}{N} \sum (K \otimes I_z - m)^2$$

where K is an operator, N is a factor of normalization, and m is a variable.

3. As for claims 43, the prior art does not teach or fairly suggest an infrared image focusing device that processes an image to find at least one window to which focusing is to be done dependent upon characteristics within the window, as well as estimating the distance from the device to an object using the temperature and/or position of the optics.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Application/Control Number: 09/576,266 Page 3

Art Unit: 2622

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chriss S. Yoder, III whose telephone number is (571) 272-7323. The examiner can normally be reached on M-F: 8 - 4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Ometz can be reached on (571) 272-7593. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

CSY May 1, 2006

TUAN HO
PRIMARY EXAMINER